

Brian A. Floyd

Alton and Mildred Lancaster Professor of Electrical and Computer Engineering
North Carolina State University
Dept. Electrical & Computer Engineering, Campus Box 7911, Raleigh, NC 27695
Phone: 919-513-7365, Fax: 919-515-2285, Cell: 914-943-7350, bafloyd@ncsu.edu



EDUCATION

- | | |
|---|------|
| Ph. D. in Electrical and Computer Engineering, <i>University of Florida</i> , Gainesville, FL | 2001 |
| Dissertation: "A CMOS Wireless Interconnect System for Multi-GHz Clock Distribution" | |
| M. Eng. in Electrical and Computer Engineering, <i>University of Florida</i> , Gainesville, FL | 1998 |
| B. S. in Electrical Engineering with Highest Honors, <i>University of Florida</i> , Gainesville, FL | 1996 |

EXPERIENCE

- | | |
|---------------------|--------------|
| Professor | 2018-present |
| Associate Professor | 2010-2018 |

North Carolina State University, Raleigh, North Carolina

- Director of the *i*ntegrated *C*ircuits & *S*ystems lab at *NC State* (*iNCS*²). We research millimeter-wave (mmWave) and RF integrated circuit solutions for communications, imaging, and radar applications.
- Ph.D. advisor for 18 students; M.S. advisor for 6 students. All graduated students now work at leading companies within the fields of mmWave or analog integrated circuit design, including Samsung, Anokiwave, ADI, SpaceX, Sivers, or Intel, plus two start-ups. Their work focuses on 5G technology development and leadership roles within their companies.
- My students have demonstrated some of the world's first radios and phased arrays for 5G cellular systems, invented a new topology for tunable filters, invented techniques providing built-in test and mmWave imaging modalities, introduced new topologies for beamforming arrays and software-defined receivers, introduced a single-chip 76-81 GHz automotive radar array that outperforms all other known solutions, and introduced new mixer-first receiver architectures for MIMO arrays.
- Our radar technology was licensed to an industrial partner, AKM, accomplished through a multi-year joint development including the training of AKM engineers at NC State as visiting scholars.
- Co-PI of AERPAW, a \$24M grant from NSF and partners (\$3.4M funding is awarded to date) to create a unique national experimental facility at NC State that combines 5G technology and drones.
- Total research funding of \$16.9M (share is \$7.5M). Sponsors include DARPA, NSF, Army, IARPA, SRC, Samsung, Texas Instruments, ADI, AKM, Physical Devices, MaXentric, and IDT.
- Graduate-level instructor of Analog Integrated Circuits class (40-60 students/year), RF Integrated Circuits class (~25 students/year), and Millimeter-Wave Integrated Circuits class (~15 students/year).
- Received multiple teaching awards. Member of the NC State Academy of Outstanding Teachers.

Engineering Consultant and Expert Witness

Expert Witness for Quinn Emanuel Urquhart & Sullivan, LLP 2021-2022
I served as an expert witness for the defendant in a patent infringement lawsuit related to RF circuits.

Expert Witness for Quinn Emanuel Urquhart & Sullivan, LLP 2012-2014
Peregrine Semiconductor Corp. v. RF Micro Devices, Inc.: I served as an expert witness for the defendant in two patent infringement lawsuits related to RF switches. This included activities related to the US International Trade Commission (ITC) as well as a circuit court in California. The first case was withdrawn and the second case was settled. I wrote multiple expert reports and was deposed.

Engineering Consultant under RWB Consulting 2016-2018
I consulted with a private company on topics related to phased arrays.

Engineering Consultant for private company 2022-present

Manager and Research Staff Member

2007-2009

IBM Thomas J. Watson Research Center, Yorktown Heights, New York

- Manager of the RF and Wireless Circuits and Systems Group at IBM Research, leading 10 IBM researchers and seven visiting scientists while overseeing group's research funding activities.
- Technical lead and manager of a three-yr. joint development project between IBM and MediaTek Inc. This project demonstrated first-of-a-kind 60 GHz phased-arrays and antenna-in-package solutions for 60 GHz while also training the MediaTek team in mmWave development. Tasks I led included RF phased-array transceiver design, phased-array system requirements, antenna and package design, testbed development, and technology transfer. The IP was licensed to multiple partners. This phased array laid the groundwork for many follow-on mmWave activities, the most important of which was IBM's creation of the industry's *first* 5G phased array deployed by Verizon.
- Principal investigator for two DARPA programs, including a large multi-year program on self-healing mmWave circuits in CMOS (HEALICS), and a program on mmWave transistor development, leading to two new semiconductor foundry technologies (SiGe BiCMOS 8XP and 9HP).

Research Staff Member

2001-2007

IBM Thomas J. Watson Research Center, Yorktown Heights, New York

- Integrated circuit designer for mmWave and RF applications in SiGe and CMOS technologies.
- Created the world's first 60 GHz radios in silicon, proving that silicon technology can be used for mmWave applications. This transformative work established the nascent 60 GHz industry. Additionally, this work laid the foundation for many future mmWave radio applications, including 5G. The IP has been productized and licensed to multiple companies.
- Worked jointly with colleagues to create the current IEEE 802.15.3c standard for 60 GHz.
- Led multiple technology transfer activities for both internal IBM and external client programs.
- Additional details related to 60 GHz research:
 - Created 16-19 GHz frequency synthesizer for the 60-GHz chipset with a novel phase-interpolating sub-integer divider and a VCO with automatic amplitude control.
 - Created broadband LNAs and pre-drivers with embedded image reject filters.
 - Worked jointly with team on receiver and transmitter architecture and characterization.
 - Worked jointly with team on creation of silicon mmWave design methodologies.
 - Demonstrated mmWave circuits, including the first reported SiGe LNAs at 50/60/77 GHz, voltage-controlled oscillators at 20/50/64/85 GHz, and various passive components.
 - Worked with the foundry to refine IBM's mmWave silicon technology by specifying new devices, improvements to existing devices, and improvements to the design kit.
- Supervised six summer interns on mmWave and WCDMA circuit projects, including Arun Natarajan, Brian Welch, Mohan Chirala, Sean Nicolson, and Dicle Ozis.
- Developed three generations of WCDMA receivers in 0.25- μm SiGe BiCMOS technology. Responsible for LNA design and receiver characterization. The chips achieved state-of-the-art noise and linearity performance, exceeding all WCDMA specifications. Technology was licensed.
- Completed a project to compare the performance of IBM's SiGe and RF-CMOS technologies for WCDMA receivers at 0.25 and 0.18 μm . Presented this work to multiple IBM foundry customers.
- Designed 6- and 12-GHz VCOs and a 13Gbps 1:4 demultiplexer in 90-nm CMOS. These circuits were building blocks for a 90-nm serializer-deserializer (SerDes) core.

Pre-Doctoral Fellow and Graduate Research Assistant

1997-2001

University of Florida, Gainesville, Florida

- Designed and implemented the world's first wireless interconnect system that distributed wireless clock signals across a chip. The system consisted of on-chip antennas, transmitter, and receiver circuitry. The first inter-chip wireless interconnects were demonstrated, providing 7.4 and 15 GHz global clock signals over distances of 3 and 22 mm, respectively.
- Developed design methodologies and circuit demonstrations of 1-20 GHz CMOS LNAs and injection-locked frequency dividers, helping to prove the viability of CMOS for RFICs.

AWARDS AND HONORS

- Alton and Mildred Lancaster Professorship 2022
- University Faculty Scholar, NC State University 2020
- NC State Outstanding Teacher Award, Member of NC State Academy of Outstanding Teachers 2016
- College of Engineering Outstanding Teacher Award 2016
- William F. Lane Outstanding Teacher Award, ECE Department, NCSU 2015
- NC State Thank a Teacher Award (7X) S2012, S2013, F2013, F2014, S2015, F2015, S2016
- NC State Chancellor's Innovation Fund Winner 2015
- IBM Faculty Award 2014
- DARPA Young Faculty Award 2011
- IBM Research Pat Goldberg Memorial Best Paper Award for CS/EE/Math (on 60-GHz package) 2011
- Senior Member, IEEE 2010
- IBM Research Division Outstanding Accomplishment Award 2007
- IBM Research Pat Goldberg Memorial Best Paper Award for CS/EE/Math (on 60-GHz radio) 2006
- ISSCC Lewis Winner Award for Outstanding Paper (on second 60-GHz radio paper) 2006
- ISSCC Lewis Winner Award for Outstanding Paper (on first 60-GHz radio paper) 2004
- IBM Research Division Technical Group Awards 2005, 2006
- Phase-1 winner, Phase-2 first runner-up, SRC Copper IC Design Challenge 2000
- Best Paper Award, Semiconductor Research Corporation (SRC) TechCon 2000
- Semiconductor Research Corporation/Intersil Corp. Graduate Fellow 1998-2001
- Robert C. Pittman Graduate Fellow, U. Florida 1996-1997
- Electrical E Award, the highest award for an ECE undergrad, U. Florida 1996
- Four-Year Scholar, Honorable Mention, U. Florida 1996
- Eta Kappa Nu Honor Society 1996
- Eagle Scout 1989

SELECT PROFESSIONAL SERVICE

- IEEE RF Integrated Circuit Symposium, a top international conference with ~800 annual attendees
 - General Chair (2020-2021), including leadership of conference through COVID-19
 - Technical Program Chair (2019-2020), including transition to virtual program due to pandemic
 - Technical Program Co-Chair (2018-2019)
 - Executive Cmte. (2020-2025), Steering Cmte. (2008-2021), Program Cmte. (2006-2020)
- IEEE AdCom Member for Solid-State Circuits Society 2022-present
- Associate Editor, IEEE Virtual RFIC Journal 2020-2023
- Associate Editor, IEEE Journal Solid-State Circuits 2011-2016
- IEEE ISSCC Technical Program Committee (our leading conference for all circuits) 2010-2014
- IEEE Bipolar/BiCMOS Circuits & Tech. Mtg. Tech. Program Committee 2017-2018
- Semiconductor Research Corporation (SRC) Technical Advisory Board 2006-2009
- SRC Texas Analog Center of Excellence Security and Safety Thrust Leader 2011-2018

TEACHING EXPERIENCE

- ECE 511: Analog Integrated Circuits, *NC State* Fall 2010-present
- Instructor. Graduate-level course covering single- and multi-stage amplifiers, biasing, feedback, stability, frequency response, and operational amplifiers.
- ECE 712: Integrated Circuits for Wireless Communications, *NC State* Spr. 2010-present
- Instructor. Advanced graduate-level course covering radio architecture, microwave theory, and the design of LNAs, mixers, receivers, VCOs, PAs, transmitters, and PLLs.

ECE 792: Millimeter-Wave Integrated Circuits and Systems, *NC State* Spr. 2018-present

- Instructor. Advanced graduate-level course covering millimeter-wave integrated circuits for communications and sensing, beamforming, phased arrays, transceivers, and the key mmWave building blocks found within these systems.

EEL 4373: Radio-Frequency Electronics, *University of Florida* Spr. 2000

- Instructor and course developer. Senior-level undergraduate course covering radio operation and architecture, RF theory and the design of RF circuit blocks.

GRADUATE-LEVEL MENTORSHIP

- Ph.D. Supervision and Committees: Advisor for **7** Ph.D. (graduated) and **9** Ph.D. (in progress).
Committee member for another **21** Ph.D. (graduated) and **1** Ph.D. (in progress).
- M.S. Supervision and Committees: Advisor for **5** M.S. (graduated).
Committee member for another **8** M.S. (graduated) and **3** M.S. (in progress).
- Visiting Scientists: Supervised **4** visiting scholars
- Undergraduate Research: Advisor for **5** B.S. students
- Independent Study: Advisor for **9** independent study (M.S.-level) students

List of Ph.D. Theses either directed or currently directing:

- | | |
|---|--|
| 1. Zhengxin Tong , Ph.D. (2015), now at ADI | Thesis: <i>Silicon Millimeter-Wave Imaging Systems...</i> |
| 2. Anirban Sarkar , Ph.D. (2016), now at Samsung | Thesis: <i>Efficient Power Amplifiers for mmWave...</i> |
| 3. Kevin Greene , Ph.D. (2017), now at Anokiwave | Thesis: <i>Code-Modulated Embedded Test...</i> |
| 4. Yi-Shin Yeh , Ph.D. (2018), now at Sivers | Thesis: <i>Distributed Beamforming Arrays...</i> |
| 5. Weihu Wang , Ph.D. (2018), now at Anokiwave | Thesis: <i>Systematic Optimization of Phase Noise...</i> |
| 6. Charley Wilson , Ph.D. (2018), now at Lumeova | Thesis: <i>Reconfigurable Passive Mixer-First Recvrs.</i> |
| 7. Vikas Chauhan , Ph.D. (2019), now at SpaceX | Thesis: <i>Code-Modulated Interferometric Imaging...</i> |
| 8. Jeffrey Bonner-Stewart , (target 2022) | Thesis: <i>Reflection-Mode N-Path Filters</i> |
| 9. Sandeep Hari , (target 2022) | Thesis: <i>Widely-Tunable N-path Receivers and Filters</i> |
| 10. Tiantong Ren , (target 2022) | Thesis: <i>Extendable Transmitter Array Platforms</i> |
| 11. Yuan Chang , (target 2022) | Thesis: <i>Self-Calibrating Phased-Arrays</i> |
| 12. Jacob Dean , (target 2022) | Thesis: <i>Digital Beamforming Receivers</i> |
| 13. Zhangjie Hong , (target 2023) | Thesis: <i>Code-Modulated Test and Calibration</i> |
| 14. Cody Ellington , NSDEG Fellow, (target 2023) | Thesis: <i>Widely Tunable mmWave Filters</i> |
| 15. Ian Glenn , (target 2024) | Thesis: <i>More-than-Massive MIMO Arrays</i> |
| 16. Saleh Almahmoud , (target 2024) | Thesis: <i>Concurrent Communication and Sensing</i> |
| 17. Bharadwaj Padmanabhan (target 2025) | Thesis: TBD |
| 18. Sriram Bharadway (target TBD) | Thesis: TBD |

List of M.S. Theses either directed or currently directing

- | | |
|--|--|
| 19. Ashok Pusuluri , M.S. (2013), now at ADI | Thesis: <i>Tunable Transmission Lines for Microwave...</i> |
| 20. Avinash Bhat , M.S. (2017), now at Intel | Thesis: <i>Passive Mixer Design Techniques ...</i> |
| 21. Aparna Ramakrishna , M.S. (2019), now at Itron | Thesis: <i>Reconfigurable Mixer-First Receivers</i> |
| 22. Madhuja Ghosh , M.S. (2019), now at Silicon Lab | Thesis: <i>Behaviorally Modeled Code-Modulation...</i> |
| 23. Ayush Malhotra , M.S. (2020), now at Qorvo | Thesis: <i>Widely Tunable Quadrature Generation...</i> |
| 24. Sakshi Agrawal , (target 2023) | Thesis: <i>Code-Modulated Calibration of Arrays</i> |

List of Additional Ph.D. and M.S. Students for whom I served as a committee member:

- **22 Ph.D. Students**: N. Madani, C. Won, P. Lin, R. Schimizzi, G. Bawa, A. Goswami, X. Li, M Tshibangu, L. Kundu, W. Zhao, B. Yang, J. Manuel Valero Sarmiento, M. Wang, W. Li, Deeksha Lal, S. Wu, S. Srivastava, K. Bhanushali, B. Li, M. Boufarsan, D. Huang, V. Bharambe
- **11 M.S. Students**: P. Ravindran, S. Gupta, W. Zhou, A. Bhattacharyya, C. Gore, M. Kumar, V. Bharambe, J. Zhou, S. Parakh, J. Kim, C. Tarqui

List of Additional Students Mentored:

- **4 Visiting Scholars:** T. Fujibayashi, Y. Takeda, Prof. D. Kam, S. Yu
- **5 Undergrad Researchers:** M. Haentschke, K. Harlos, A. Iyer, S. Schönherr, A. Metzger
- **9 Independent Study Students (M.S.):** J. Periathambi (2x), F. Amin (3x), Q. Liu, J. Price, D. Tauro, R. Agarwal, S. Misra, M. Lynch, P. Ahmmed, B. Padmanabhan, S. Laddha

CONTRACTS AND GRANTS

Total Grants, Active: \$11,609,614 (my share is \$3,147,579)
Total, Active+Complete: \$16,886,614 (my share is \$7,459,362)

- **Title: WISECOM Wireless Integrated Sensing, Learning and Comm. Networks**
Source of Support: NSF; Sep. 2022 – Aug. 2025
- **Title: STTR Phase I&II: Extendable Phased-Array Transceiver Platform**
Source of Support: MaXentric Tech., US Army (prime); Apr. 2020-Sep. 2022
- **Title: Code-Modulated Embedded Test of Multifunctional Arrays**
Source of Support: Texas Instruments; May 2018-May 2023
- **Title: Scalable and Calibrated Phased Arrays for 5G**
Source of Support: Analog Devices Inc. (ADI); Aug 2014-present
- **Title: AERPAW: Aerial Experimentation and Research Platform for Advanced Wireless**
Source of Support: PAWR Project Office, NSF; Sep 2019-Aug 2023
- **Metrics & Scaling Principles for Energy Synchronous Direct Antenna Modulation Transmitters**
Source of Support: IARPA; July 2022 – April 2026
- **Widely Tunable Receivers and Filters for Next-Generation Communications**
Source of Support: ADI (through BWAC); Oct. 2022 – Sept 2023
- **Multi-Modal Communications for Reliable UAV and UGV Connectivity**
Source of Support: ADI (through BWAC); Oct. 2021 – Sept 2022
- **Title: Tunable RF to Millimeter-Wave Receivers and Filters**
Source of Support: DARPA; Oct 2018-Mar 2022
- **Title: Phase II IUCRC, Broadband Wireless Access and Application Center (BWAC)**
Source of Support: NSF; Sep. 2019 – Aug 2023
- **Title: High Dimensional Optimization and Inverse Methods for Electronic Design**
Source of Support: CAEML; Jan. 2021 – Dec. 2022
- **Title: Intellectual Property Reuse through Machine Learning**
Source of Support: NSF I/UCRC: CAEML; Jan 2017-Aug 2019
- **Title: SBIR Ph. I&II: W-band Imaging System Using Repurposed Comm. and Radar Chipsets**
Source of Support: MaXentric Tech. (direct), US Army (prime); Feb 2015-Dec 2018
- **Title: EARS: Compact Adaptive MIMO Receivers**
Source of Support: National Science Foundation; Sep 2013 – Sep 2018
- **Title: EPIC – Extendable Phased-array Platform ICs**
Source of Support: DARPA; May 2016- Jan 2018
- **Title: STTR Ph. I&II: Fully-Integrated Tunable Filters w/ Synthetic Linear Interference Delay**
Source of Support: Physical Devices LLC (direct), NSF (prime); July 2012-Oct. 2018
- **Radios and Arrays for 5G Millimeter-Wave Systems**
Source of Support: Integrated Device Technology (IDT); Jan 2017-May2018
- **Title: Radio Design for Mobile Millimeter-Wave Broadband**
Source of Support: Samsung; Feb 2012 – Sep 2016
- **Code-Modulated Imaging with Commercial-Off-The-Shelf Phased Arrays**
Source of Support: NC State University Chancellor’s Innovation Fund; July 2015
- **Title: Built-In Test for Power-Efficient Millimeter-Wave Phased Arrays**
Source of Support: University of Texas-Dallas (direct), SRC (prime); Mar 2011 – Dec 2014
- **Title: Advanced Silicon Circuits and Systems for Emerging Millimeter-Wave Markets**
Source of Support: Asahi Kasei Microdevices (AKM) Corporation; Nov 2011 – Oct 2014
- **Title: Imaging Using Reconfigured Millimeter-Wave Phased Arrays in Silicon (IRIS)**
Source of Support: DARPA; Aug 2011 – July 2014

- **IBM Faculty Award**
Source of Support: IBM; Jan 2014
- **Title: Efficient Linearized All-Silicon Transmitter ICs (ELASTx)**
Source of Support: MIT (prime), DARPA (direct); Feb 2013 – May 2014
- **Title: Low Power Potentiostats for Electrochemical Sensing**
Source of Support: National Science Foundation ASSIST ERC; Sep 2012 – Aug 2013
- **Title: D-band Integrated with V-band Architecture for sub-THz Wireless Communications**
Source of Support: MaXentric Tech (direct), US Army (prime); Oct. 2011 – Aug 2012

PUBLICATIONS AND PATENTS

Published Peer-Reviewed Journal Articles	39
Published Peer-Reviewed Conf. Papers	88
Published Tutorial/Short-Course/Workshops	13
Book Chapters/Text Contribution	4
Invited Presentations and Panels	>62
Patents Issued	32
Citations (Google scholar, including self-citations)	6507
H-Index (Google scholar, including self-citations)	41
i10-Index (Google scholar, including self-citations)	102

JOURNAL PUBLICATIONS (PEER REVIEWED)

- [J39] V. Chauhan, Z. Hong, S. Schönherr, and B. A. Floyd, "An X-band code-modulated interferometric imager," *IEEE Trans. Microw. Theory Techn.*, vol. 69, no. 11, pp. 4856-4868, Nov. 2021.
- [J38] Y.-S. Yeh, W. Wang, and B. A. Floyd, "75-86 GHz signal generation using a phase-controlled quadrature-push quadrupler driven by a QVCO or a tunable polyphase filter," *IEEE Trans. Microw. Theory Techn.*, vol. 69, no. 10, pp. 4521-4532, Oct. 2021.
- [J37] A. Panicker, O. Ozdemir, M. Sichitiu, I. Guvenc, R. Dutta, V. Marojevic, and B. Floyd, "AERPAW emulation overview and preliminary performance evaluation," *Computer Networks*, accepted.
- [J36] Z. Hong, V. Chauhan, S. Schönherr, and B. A. Floyd, "Code-modulated embedded test and calibration of phased-array transceivers," *IEEE Trans. Microw. Theory Techn.*, vol. 69, no. 3, pp. 1557-9670, Mar. 2021.
- [J35] Y.-S. Yeh and B. A. Floyd, "Multibeam phased arrays using dual-vector distributed beamforming: architecture overview and 28 GHz transceiver prototypes," *IEEE Trans. Circuits and Systems-I: Regular Papers*, vol. 67, no. 12, pp. 5496-5509, Dec. 2020.
- [J34] V. Marojevic, I. Guvenc, R. Dutta, M. L. Sichitiu, B. A. Floyd, "Advanced wireless for unmanned aerial systems: 5G standardization, research challenges, and AERPAW experimentation platform," *IEEE Vehicular Tech. Mag.*, vol. 15, no. 2, pp. 22-30, June 2020.
- [J33] J. Bonner-Stewart, C. Wilson III, and B. A. Floyd, "Tunable 0.7-to-2.8 GHz reflection-mode N-path filters in 45-nm SOI CMOS," *IEEE Trans. Microw. Theory Tech.* vol. 68, no. 6, pp. 2343-2357, June 2020.
- [J32] C. Wilson III, J. Dean, and B. A. Floyd, "Mixer-first MIMO receiver with reconfigurable multi-port decoupling and matching," *IEEE J. Solid-State Circuits*, vol. 55, no. 5, pp. 1401-1410, May 2020.
- [J31] C. Wilson III and B. Floyd, "Harmonic performance of mixer-first receiver with circulant-symmetric baseband," *IEEE Trans. Circuits Systems-I: Reg. Papers*, vol. 66, no. 1, pp. 161-174, Jan 2019.
- [J30] K. Greene, V. Chauhan, and B. Floyd, "Built-in-test of phased arrays using code-modulated interferometry," *IEEE Trans. Microw. Theory Tech.*, vol. 66, no. 5, pp. 2463-2479, May 2018.
- [J29] T. Fujibayashi, Y. Takeda, Y.-S. Yeh, W. Wang, W. Stapelbroek, S. Takeuchi, and B. Floyd, "A 76 to 81 GHz multi-channel radar transceiver," *IEEE J. Solid-State Circuits*, vol.52, no.9, pp.2226-2241, Sep. 2017.
- [J28] A. Sarkar, F. Aryanfar, and B. Floyd, "A 28-GHz SiGe BiCMOS PA with 32% efficiency and 23 dBm output power," *IEEE J. Solid-State Circuits*, vol. 52, no. 6, pp. 1680-1686, June 2017.
- [J27] K. Greene, A. Sarkar, and B. Floyd, "A 60-GHz dual-vector Doherty beamformer," *IEEE J. Solid-State Circuits*, vol. 52, no. 5, pp. 1373-1387, May 2017.
- [J26] Y.-S. Yeh, B. Walker, E. Balboni, and B. Floyd, "A 28-GHz phased-array receiver front-end with dual-vector distributed beamforming," *IEEE J. Solid-State Circuits*, vol. 52, no. 5, pp. 1230-1244, May 2017.
- [J25] A. Sarkar and B. Floyd "A 28-GHz harmonic-tuned power amplifier in 130-nm SiGe BiCMOS," *IEEE Trans. Microw. Theory Tech.*, vol. 65, no. 2, pp. 522-535, Feb. 2017.

- [J24] D. G. Kam, D. Liu, A. Natarajan, S. Reynolds, and B. A. Floyd, "Organic packages with embedded phased-array antennas for 60-GHz wireless chipsets," *IEEE Trans. Comp. Packag. Manuf. Technol.*, vol. 1, no. 11, pp. 1806-1814, Nov. 2011. **[BEST PAPER AWARD]**
- [J23] D. Liu, J.A.G. Akkermans, H.-C. Chen, and B. Floyd, "Packages with integrated 60-GHz aperture-coupled patch antennas," *IEEE Trans. Antennas Prop.*, v 59, n 10, pp. 3607-3616, Oct. 2011.
- [J22] A. Natarajan, S. Reynolds, M.D. Tsai, S. Nicolson, J.H.C. Zhan, D. Kam, D. Liu, O. Huang, A. Valdes-Garcia, and B. A. Floyd, "A fully-integrated 16-element phased-array receiver in SiGe BiCMOS for 60-GHz communications," *IEEE J. Solid-State Circuits*, vol. 46, no. 5, pp. 1059-1075, May 2011.
- [J21] A. Valdes-Garcia, S. Reynolds, A. Natarajan, D. Kam, D. Liu, J.-W. Lai, Y.-Lin Huang, P.-Y. Chen, M.-D. Tsai, J.-H. Zhan, S. Nicolson, and B. Floyd, "Single-element and phased-array transceiver chipsets for 60-GHz Gb/s communications," *IEEE Commun. Mag.*, vol. 49, no. 4, pp. 120-131, Apr. 2011.
- [J20] D. G. Kam, D. Liu, A. Natarajan, S. Reynolds, H.-C. Chen, B. A. Floyd, "LTCC packages with embedded phased-array antennas for 60-GHz communications," *IEEE MWCL*, vol. 21, no. 3, pp. 142-144, Mar. 2011.
- [J19] A. Valdes-Garcia, S. Nicolson, J.-W. Lai, A. Natarajan, P.-Y. Chen, S. Reynolds, J.-H. Zhan, D. Kam, D. Liu, and B. Floyd, "A fully-integrated 16-element, SiGe BiCMOS phased-array transmitter for 60-GHz communications," *IEEE J. Solid-State Circuits*, vol. 45, no. 12, pp. 2757-2773, Dec. 2010.
- [J18] B. Floyd, "Sub-integer frequency synthesis using phase-rotating frequency dividers," *IEEE Trans. Circuits Syst. I, Reg. Papers*, vol. 55, no. 7, pp. 1823-1833, Aug. 2008.
- [J17] B. Floyd, "A 16 to 18.8-GHz sub-integer-N frequency synthesizer for 60-GHz transceivers," *IEEE J. Solid-State Circuits*, vol. 43, no. 5, pp. 1076-1086, May 2008.
- [J16] B. Gaucher, B. Floyd, S. Reynolds, U. Pfeiffer, J. Grzyb, A. Joseph, E. Mina, B. Orner, H. Ding, R. Wachnik, and K. Walter, "Silicon germanium based millimetre-wave ICs for Gbps wireless communications and radar systems," *Semiconductor Science & Tech.*, v22, n1, pp. 236-243, Jan. 2007.
- [J15] S. Reynolds, B. Floyd, U. Pfeiffer, T. Beukema, J. Grzyb, C. Haymes, B. Gaucher, and M. Soyuer, "A silicon 60GHz receiver and transmitter chipset for broadband communications," *IEEE J. Solid-State Circuits*, v. 41, no. 12, pp. 2820-2831, Dec. 2006.
- [J14] U. R. Pfeiffer, J. Grzyb, D. Liu, B. Gaucher, T. Beukema, B. A. Floyd, S. K. Reynolds, "A chip-scale packaging techn. for 60-GHz wireless chipsets," *IEEE Trans. Microw. Theory Tech.*, vol. 54, no. 8, pp. 3387-3397, Aug. 2006.
- [J13] S. K. Reynolds, B. A. Floyd, T. J. Beukema, T. Zwick, and U. R. Pfeiffer, "Design and compliance testing of a SiGe WCDMA receiver IC with integrated analog baseband," *Proc. IEEE*, vol. 93, no. 9, pp. 1624-1636, Sept. 2005.
- [J12] S. Rylov, S. Reynolds, D. Storaska, B. Floyd, M. Kapur, T. Zwick, S. Gowda, M. Sorna, "10+ Gb/s 90-nm CMOS serial link demo in CBGA package," *IEEE J. Solid-State Circuits*, v40, n9, pp.1987-1991, Sept. 2005.
- [J11] K. K. O, K. Kim, B. A. Floyd, *et al.*, "On-chip antennas in silicon ICs and their application," *IEEE Trans. Electron Devices*, vol. 52, no. 7, pp. 1312-1323, July 2005.
- [J10] B. A. Floyd, S. K. Reynolds, T. Zwick, L. Khuon, T. Beukema, and U. R. Pfeiffer, "WCDMA direct-conversion receiver front-end comparison in RF-CMOS and SiGe BiCMOS," *IEEE Trans. Microw. Theory Tech.*, vol. 53, no. 4, pp. 1181-1188, April 2005.
- [J9] B. A. Floyd, S. K. Reynolds, U. R. Pfeiffer, T. Zwick, T. Beukema, and B. Gaucher, "SiGe bipolar transceiver circuits operating at 60 GHz," *IEEE J. Solid-State Circuits*, vol. 40, no. 1, pp. 156-167, Jan. 2005.
- [J8] W.-M. Kuo, Y. Lu, B. A. Floyd, B. M. Haugerud, A. K. Sutton, R. Krithivasan, J. D. Cressler, B. P. Gaucher, P. W. Marshall, R. A. Reed, and G. Freeman, "Proton radiation response of monolithic millimeter-wave transceiver building blocks implemented in 200 GHz SiGe technology," *IEEE Trans. Nucl. Sci.*, v. 51, n. 6, pt 2, p. 3781-3787, Dec. 2004.
- [J7] S. K. Reynolds, B. A. Floyd, T. Beukema, T. Zwick, U. Pfeiffer, and H. Ainspan, "A direct-conversion receiver IC for WCDMA mobile systems," *IEEE J. Solid-State Circuits*, vol. 38, no. 9, pp. 1555-1560, Sept. 2003.
- [J6] S. Reynolds, B. Floyd, T. Beukema, T. Zwick, U. Pfeiffer, and H. Ainspan, "A direct conversion receiver IC for WCDMA mobile systems," *IBM J. Research Dev.*, vol. 47, no. 2/3, pp. 337-354, March/May 2003.
- [J5] B. A. Floyd, L. Shi, Y. Taur, I. Lagnado, and K. K. O, "A 23.8-GHz SOI CMOS tuned amplifier," *IEEE Trans. Microw. Theory Tech.*, vol. 50, no. 9, pp. 2193-2196, Sept. 2002.
- [J4] B. A. Floyd, C.-M. Hung, and K. K. O, "Intra-chip wireless interconnect for clock distribution implemented with integrated antennas, receivers, and transmitters," *IEEE J. Solid-State Circuits*, vol. 37, no. 5, pp. 543-552, May 2002.
- [J3] B. A. Floyd, L. Shi, Y. Taur, I. Lagnado, and K. K. O, "SOI and bulk CMOS frequency dividers operating above 15 GHz," *Elec. Lett.*, vol. 37, no. 10, pp. 617-618, May 10, 2001.

- [J2] C.-M. Hung, B. A. Floyd, N. Park, and K. K. O, "Fully integrated 5.35-GHz CMOS VCOs and prescalers," *IEEE Trans. Microw. Theory Tech.*, vol. 49, no. 1, pp. 17-22, Jan. 2001.
- [J1] Y.-C. Ho, K.-H. Kim, B. A. Floyd, C. Wann, Y. Taur, I. Lagnado, and K. K. O, "4- and 13-GHz tuned amplifiers implemented in a 0.1- μ m CMOS technology on SOI, SOS, and bulk substrates," *IEEE J. Solid-State Circuits*, vol. 33, no. 12, pp. 2066-2073, Dec. 1998.

CONF. PUBLICATIONS (PEER REVIEWED):

- [C80] Z. Hong and B. A. Floyd, "Beamformer calibration using coded correlations," *IEEE Int. Symp. Phased-Array Systems and Technology*, Oct. 2022.
- [C79] S. Almahmoud, Z. Hong, and B. A. Floyd, "Simultaneous phased-array element testing using orthogonal amplitude modulation," *IEEE Int. Symp. Phased-Array Systems and Technology*, Oct. 2022.
- [C78] J. Dean, C. Ellington, S. Hari, A. Bhat, and B. A. Floyd, "A tunable N-path filter and wideband receiver for digital-beamforming applications," *Govt. Microcircuit Applications Conf.*, Mar. 2022.
- [C77] J. Dean, S. Hari, A. Bhat, and B. A. Floyd, "A 4-31GHz direct-conversion receiver employing frequency-translated feedback," *IEEE ESSCIRC*, 2021, Sep. 2021.
- [C76] S. Hari, C. Ellington, and B. A. Floyd, "A 6-31GHz tunable reflection-mode N-path filter," *IEEE RFIC Symp.*, June 2021.
- [C75] M. Chowdhury, C. K. Anjinappa, I. Guvenc, M. Sichitiu, O. Ozdemir, U. Bhattacharjee, R. Dutta, V. Marojevic, and B. Floyd, "A taxonomy and survey on experimentation scenarios for aerial advanced wireless testbed platforms," *IEEE Aerospace Conf.*, Mar. 2021.
- [C74] T. Ren and B. A. Floyd, "A 20-33 GHz direct-conversion transmitter in 45-nm SOI CMOS," *IEEE BiCMOS and Compound Semiconductor Integrated Circuits and Technology Symposium (BCICTS)*, Nov. 2020.
- [C73] M. Sichitiu, I. Guvenc, R. Dutta, V. Marojevic, and B. Floyd, "AERPAW emulation overview," *Proc. 14th Int. Workshop on Wireless Network Testbeds, Experimental Evaluation & Characterization*, Sep. 2020, pp. 1-8.
- [C72] V. Chauhan, H. Seo, K. Greene, D. G. Kam, and B. Floyd, "A 60 GHz code-modulated interferometric imaging system using a phased array," *Proc. SPIE 11411, Passive and Active Millimeter-Wave Imaging XXIII*, 1141104, Apr. 2020, <https://doi.org/10.1117/12.2565589>.
- [C71] W. Wang and B. A. Floyd, "Comparison of 10/20/40 GHz quadrature VCOs for FMCW radar systems in 90-nm SiGe BiCMOS technology," *IEEE BCICTS*, Nov. 2019, pp. 1-4.
- [C70] Y. Chang and B. A. Floyd, "A broadband reflection-type phase shifter achieving uniform phase and amplitude response across 27 to 31 GHz," *IEEE BCICTS*, Nov. 2019, pp. 1-4.
- [C69] S. Hari, A. Bhat, C. Wilson, and B. Floyd, "Approaches to nonoverlapping clock generation for RF to millimeter-wave mixer-first receivers," *IEEE Int. Microw. Conf. Hardware & Sys. for 5G & Beyond*, Aug. 2019, pp. 1-3.
- [C68] T. Ren, B. A. Floyd, "A 21-31 GHz two-stage stacked power amplifier with 33% PAE and 18 dBm output power in 45-nm SOI CMOS," *IEEE Int. Microw. Conf. Hardware & Sys. for 5G & Beyond*, Aug. 2019, pp. 1-3.
- [C67] V. Chauhan, S. Schönherr, Z. Hong, and B. Floyd, "A 10-GHz code-modulated interferometric imager using commercial-off-the-shelf phased arrays," *IEEE MTT-S Int. Microw. Symp.*, June 2019, pp. 1015-1018.
- [C66] Z. Hong, S. Schönherr, V. Chauhan, and B. Floyd, "Free-space phased-array characterization and calibration using code-modulated embedded test," *IEEE MTT-S Int. Microw. Symp.*, June 2019, pp. 1225-1228.
- [C65] S. Hari, A. Bhat, C. Wilson, and B. Floyd, "A 5 to 31 GHz four-phase mixer-first receiver," *Govt. Microcircuit Applications Conf.*, Mar. 2019, pp. 581-584 (<https://apps.dtic.mil/dtic/tr/fulltext/u2/1075617.pdf>).
- [C64] J. Bonner-Stewart, C. Wilson, B. Floyd, "A tunable reflection-mode N-path filter with harmonic cancellation in 45nm SOI CMOS," *Govt. Microcircuit Applications Conf.*, Mar. 2019, pp. 860-864.
- [C63] C. Wilson, J. Dean, and B. Floyd, "Mixer-first MIMO receiver with multi-port impedance tuning for decoupling of compact antenna systems," *IEEE RFIC Symp.*, June 2018, pp. 112-115.
- [C62] V. Chauhan and B. Floyd, "A 24-44GHz UWB LNA for 5G cellular frequency bands," *IEEE Global Symp. Millimeter-Waves*, May 2018. **(student paper award, third place)**
- [C61] B. Floyd, A. Sarkar, K. Greene, and Y.-S. Yeh, "Toward efficient, reconfigurable, and compact beamforming for 5G millimeter-wave systems," *Proc. IEEE BCTM*, invited, Sep. 2017, pp. 66-73.
- [C60] Y.-S. Yeh, E. Balboni, and B. Floyd, "A 28-GHz phased-array transceiver with series-fed dual-vector distributed beamforming," *IEEE RFIC Symp.*, June 2017, pp. 65-68.
- [C59] J. Bonner-Stewart, C. Wilson, and B. Floyd, "A tunable reflection-mode N-path filter using 45-nm SOI CMOS," *IEEE MTT-S Int. Microw. Symp.*, June 2017, pp. 1671-1674.
- [C58] T. Fujibayashi, Y. Takeda, Y.-S. Yeh, W. Wang, W. Stapelbroek, S. Takeuchi, and B. Floyd, "A 76- to 81-GHz packaged single-chip transceiver for automotive radar," *Proc. IEEE BCTM*, Sep. 2016, pp. 166-169.
- [C57] Y.-S. Yeh, B. Walker, E. Balboni, and B. A. Floyd, "A 28-GHz 4-channel dual-vector receiver phased array in SiGe BiCMOS technology," *IEEE RFIC Symp.*, May 2016, pp. 352-355. **(student paper award finalist)**

- [C56] C. Wilson and B. A. Floyd, "A 20-30 GHz mixer-first receiver in 45-nm SOI CMOS," *IEEE RFIC Symp.*, May 2016, pp. 344-347.
- [C55] K. Greene, V. Chauhan, and B. Floyd, "Code-modulated embedded test for phased arrays," *IEEE VLSI Test Symp.*, April 2016, pp. 1-4.
- [C54] V. Chauhan, K. Greene, and B. Floyd, "Code-modulated interferometric imaging system using phased arrays," *SPIE Defense + Security Symp.*, April 2016, pp. 98300D 1-8.
- [C53] Y.-S. Yeh and B. A. Floyd, "A 55-GHz power-efficient frequency quadrupler with high harmonic rejection in 0.1- μ m SiGe BiCMOS technology," *IEEE RFIC Symp.*, May 2015, pp. 267-270.
- [C52] K. Greene, B. Floyd, "Dual-vector phase rotator for Doherty beamformers," *IEEE RFIC Symp.*, May 2015, pp. 331-334.
- [C51] A. Sarkar, K. Greene, and B. Floyd, "A power-efficient 4-element beamformer in 120-nm SiGe BiCMOS for 28-GHz cellular communications," *Proc. IEEE BCTM*, Sep. 2014, pp. 68-71.
- [C50] Y. Takeda, T. Fujibayashi, Y.-S. Yeh, W. Wang, and B. Floyd, "A 76- to 81-GHz transceiver chipset for long-range and short-range automotive radar," *IEEE MTT-S Int. Micro. Symp. Dig.*, June 2014, pp. 1-3.
- [C49] W. Wang, Y. Takeda, and B. Floyd, "A 20GHz VCO and frequency doubler for W-band FMCW radar applications," *IEEE Si Monolithic ICs RF Systems Dig. Papers*, Jan 2014, pp. 104-106.
- [C48] A. Sarkar and B. Floyd, "A 28-GHz class-J power amplifier with 18-dBm output power and 35% peak PAE in 120-nm SiGe BiCMOS," *IEEE Si Monolithic ICs RF Systems Dig. Papers*, Jan 2014, pp. 71-73.
- [C47] D. G. Kam, D. Liu, A. Natarajan, S. Reynolds, and B. A. Floyd, "Low-cost antenna-in-package solutions for 60-GHz phased-array systems," *IEEE Conf. EPEPS*, Oct. 2010, pp. 93-96.
- [C46] D. Liu, H.-C. Chen, and B. Floyd, "An LTCC superstrate patch antenna for 60-GHz package applications," *Proc. IEEE Antennas and Propagation Society Int. Symp.*, July 2010, pp. 1-4.
- [C45] D. Liu and B. Floyd, "Microstrip to CPW transitions for package applications," *Proc. IEEE Antennas and Propagation Society Int. Symp.*, July 2010, pp. 1-4.
- [C44] S. K. Reynolds, A. S. Natarajan, M.-D. Tsai, S. Nicolson, J.-H. Zhan, D. Liu, D. G. Kam, O. Huang, A. Valdes-Garcia, and B. A. Floyd, "A 16-element phased-array receiver IC for 60-GHz communications in SiGe BiCMOS," *IEEE RFIC Symp.*, May 2010, pp. 461-464.
- [C43] B. Floyd, A. Valdes Garcia, S. Reynolds, A. Natarajan, D. Liu, B. Gaucher, D. Nakano, and Y. Katayama, "Silicon millimeter-wave radios for 60 GHz and beyond," *Int. Symp. on VLSI-TSA*, April 2010, pp. 12-13.
- [C42] A. Valdes-Garcia, S. Nicolson, J.-W. Lai, A. Natarajan, P.-Y. Chen, S. Reynolds, J.-H. Zhan, and B. Floyd, "A SiGe BiCMOS 16-element phased-array transmitter for 60GHz communications," *IEEE ISSCC Dig. Tech. Papers*, Feb. 2010, pp. 218-219.
- [C41] A. Natarajan, M.-D. Tsai, and B. Floyd, "60GHz RF-path phase-shifting two-element phased-array front-end in silicon," *Symp. VLSI Technology Dig. Tech. Papers*, June 2009, pp. 250-251.
- [C40] D. Liu, I. Akkermans, and B. Floyd, "A superstrate patch antenna for 60-GHz applications," *3rd European Conf. on Antennas and Propagation*, Mar. 2009, pp. 2592-2594.
- [C39] A. Natarajan, S. Nicolson, M. D. Tsai, and B. Floyd, "A 60GHz variable-gain LNA in 65nm CMOS," *IEEE Asian Solid-State Circuits Conf.*, Nov. 2008, pp. 117-120.
- [C38] S. Reynolds, A. Valdes-Garcia, B. Floyd, B. Gaucher, D. Liu, N. Hoivik, "Second generation 60-GHz transceiver chipset supporting multiple modulations at Gb/s data rates," *Proc. IEEE BCTM*, Oct. 2007, pp. 192-197.
- [C37] B. Floyd, "A 15 to 18-GHz programmable frequency synthesizer for a 60-GHz transceiver," *IEEE RFIC Symp. Dig. Papers*, June 2007, pp. 529-532.
- [C36] B. Floyd, B. Gaucher, S. Reynolds, A. Valdes-Garcia, U. Pfeiffer, D. Liu, J. Grzyb, N. Hoivik, and B. Jagannathan, "SiGe vs. CMOS for 60-100 GHz: technology, circuits, packages, and systems," *GoMAC*, Mar. 2007, pp. 31-34.
- [C35] A. Natarajan, B. Floyd, and A. Hajimiri, "A bidirectional RF-combined 60GHz phased-array front-end," *IEEE ISSCC Dig. Tech. Papers*, Feb. 2007, pp. 202-203.
- [C34] B. Floyd, U. Pfeiffer, S. Reynolds, A. Valdes-Garcia, C. Haymes, Y. Katayama, D. Nakano, T. Beukema, B. Gaucher, and M. Soyuer, "Silicon millimeter-wave radio circuits at 60-100 GHz (invited)," *IEEE Si Monolithic ICs RF Systems Dig. Papers*, Jan. 2007, pp. 213-218.
- [C33] Y. Katayama, C. Haymes, D. Nakano, T. Beukema, B. Floyd, S. Reynolds, U. Pfeiffer, B. Gaucher, and K. Schleupen, "2-Gbps uncompressed HDTV transmission over 60-GHz SiGe radio link," *IEEE Consumer Communications and Networking Conf.*, Jan. 2007, pp. 12-17.
- [C32] K. Bhatia, K. Kim, C.-T. Chuang, E. Rosenbaum, J. -O. Plouchart, and B. A. Floyd, "Double-gate FET technology for RF applications: device characteristics and low noise amplifier design," *IEEE Int. SOI Conf.*, Oct. 2006, pp. 75-76.

- [C31] K.K. O, K. Kim, B. Floyd, J. Mehta, H. Yoon, C.-M. Hung, D. Bravo, T. Dickson, X. Guo, R. Li, N. Trichy, J. Caserta, W. Bomstad, J. Branch, D.-J. Yang, J. Bohorquez, J. Chen, E.-Y. Seok, J.E. Brewer, L. Gao, A. Sugavanam, J.-J. Lin, Y. Su, C. Cao, M.-H. Hwang, Y.-P. Ding, Z. Li, S.-H. Hwang, H. Wu, S. Sankaran, N. Zhang, "Silicon integrated circuits incorporating antennas," *Proc. IEEE CICC*, Sep. 2006, pp. 473-480.
- [C30] M. K. Chirala and B. A. Floyd, "Millimeter-wave Lange and ring-hybrid couplers in a silicon technology for E-band applications," *IEEE MTT-S Int. Microwave Symp. Dig.*, June 2006, pp. 1547-1550.
- [C29] B. Gaucher, S. Reynolds, B. Floyd, U. Pfeiffer, T. Beukema, A. Joseph, E. Mina, B. Orner, R. Wachnik, and K. Walter, "Progress in SiGe technology toward fully integrated mmWave ICs," *Int. SiGe Tech Dev Mtg.*, May 2006, pp. 1-2.
- [C28] U. Pfeiffer, J. Grzyb, D. Liu, B. Gaucher, T. Beukema, B. Floyd, S. Reynolds, "A 60GHz radio chipset fully-integrated in a low-cost packaging technology," *Proc. Elec. Components Tech. Conf.*, May 2006, pp. 1343-1346.
- [C27] B. Gaucher, B. Floyd, S. Reynolds, U. Pfeiffer, A. Joseph, E. Mina, B. Orner, R. Wachnik, K. Walters, "SiGe based millimeter wave IC's for Gbps wireless communication and radar systems," *GoMAC*, Mar. 2006.
- [C26] B. Floyd, S. Reynolds, U. Pfeiffer, T. Beukema, J. Grzyb, C. Haymes, "A silicon 60GHz receiver and transmitter chipset for broadband communications," *IEEE ISSCC*, Feb. 2006, pp. 184-185. **[BEST PAPER AWARD]**
- [C25] B. Jagannathan, R. Groves, D. Goren, B. Floyd, D. Greenberg, L. Wagner, S. Csutak, S. Lee, D. Coolbaugh, and J. Pekarik, "RF CMOS for microwave and mm-wave applications," *IEEE SMIRF*, Jan. 2006, pp. 259-264.
- [C24] K. K. O, K. Kim, B. Floyd et al., "The feasibility of on-chip interconnection using antennas," *IEEE/ACM Int. Conf. on Computer-Aided Design*, Nov. 2005, pp. 979-984.
- [C23] U. R. Pfeiffer, D. Goren, B. A. Floyd, and S. K. Reynolds, "SiGe transformer matched power amplifier for operation at millimeter-wave frequencies," *Proc. Euro. Solid-State Circuits Conf.*, Sept. 2005, pp. 141-144.
- [C22] S. K. Reynolds, B. A. Floyd, U. R. Pfeiffer, T. J. Beukema, T. Zwick, J. Grzyb, D. Liu, B. P. Gaucher, "Progress toward a low-cost millimeter-wave silicon radio (invited)," *Proc. IEEE CICC*, Sept. 2005, pp. 563-570.
- [C21] S. Rylov, S. Reynolds, D. Storaska, B. Floyd, M. Kapur, T. Zwick, S. Gowda, and M. Sorna, "10+ Gb/s 90nm CMOS serial link demo in CBGA package," *Proc. IEEE CICC.*, Oct. 2004, pp. 27-30.
- [C20] B. Gaucher, T. Beukema, S. Reynolds, B. Floyd, T. Zwick, U. Pfeiffer, D. Liu, J. Cressler, "MM-Wave transceivers using SiGe HBT technology," *IEEE Si Monolithic ICs RF Systems*, Sept. 2004, pp. 81-84.
- [C19] B. A. Floyd, and D. Ozis, "Low-noise amplifier comparison at 2 GHz in 0.25- μ m and 0.18- μ m RF-CMOS and SiGe BiCMOS (invited)," *IEEE RF Integrated Circuits Symp. Dig. Papers*, June 2004, pp. 185-188.
- [C18] B. A. Floyd, "V-band and W-band SiGe bipolar low-noise amplifiers and voltage-controlled oscillators," *IEEE RFIC Symp. Dig. Papers*, June 2004, pp. 295-298.
- [C17] U. R. Pfeiffer, S. K. Reynolds, and B. A. Floyd, "A 77 GHz SiGe power amplifier for potential applications in automotive radar systems," *IEEE RFIC Symp.*, June 2004, pp. 91-94.
- [C16] S. Reynolds, B. Floyd, U. Pfeiffer, and T. Zwick, "60GHz transceiver circuits in SiGe bipolar technology," *IEEE ISSCC Dig. Tech. Papers*, Feb. 2004, pp. 442-538. **[BEST PAPER AWARD]**
- [C15] B. Gaucher, T. Beukema, S. Reynolds, B. Floyd, T. Zwick, U. Pfeiffer, and D. Liu, "Silicon monolithic broadband millimeter wave radio technology," *Int. Conf. Space Mission Challenges for Inf. Tech.*, June 2003, pp. 113-121.
- [C14] K. K. O, K. Kim, B. Floyd, J. Mehta, H. Yoon, C.-M. Hung, D. Bravo, T. Dickson, X. Guo, R. Li, N. Trichy, J. Caserta, W. Bomstad, J. Branch, D.-J. Yang, J. Bohorquez, L. Gao, A. Sugavanam, J.-J. Lin, J. Chen, F. Martin, J. Brewer, "Wireless communications using integrated antennas," *Proc. IEEE Int. Interconnect Tech. Conf.*, June 2003, pp. 111-113.
- [C13] S. Reynolds, B. Floyd, T. Beukema, T. Zwick, U. Pfeiffer, and H. Ainspan, "A direct-conversion receiver IC for WCDMA mobile systems," *Proc. BCTM*, Sept. 2002, pp. 61-64.
- [C12] X. Guo, J. Caserta, R. Li, B. Floyd, and K. K. O, "Propagation layers for intra-chip wireless interconnection compatible with packaging and heat removal," *IEEE VLSI Symp. Tech. Dig. Tech. Papers*, June 2002, pp. 36-37.
- [C11] T. Dickson, B. Floyd, K. O, "Jitter in a wireless clock distribution system," *Proc. IEEE Int. Interconnect Tech. Conf.*, Jun 2002, pp.154-156.
- [C10] B. A. Floyd, C.-M. Hung, K. K. O, "A 15-GHz wireless interconnect implemented in a 0.18- μ m CMOS technology using integrated transmitters, receivers, and antennas," *IEEE VLSI Symp.*, June 2001, pp. 155-158.
- [C9] C.-M. Hung, B. A. Floyd, and K. K. O, "A fully integrated 5.35-GHz CMOS VCO and a prescaler," *IEEE RFIC Symp.*, June 2000, pp. 69-72.
- [C8] B. A. Floyd, C.-M. Hung, and K. K. O, "The effects of substrate resistivity on RF component and circuit performance," *Proc. IEEE Int. Interconnect Tech. Conf.*, June 2000, pp. 164-166.
- [C7] D. Bravo, H. Yoon, K. Kim, B. Floyd, and K. K. O, "Estimation of the signal-to-noise ratio for on-chip wireless clock signal distribution," *Proc. IEEE Int. Interconnect Tech. Conf.*, Jun 2000, pp. 9-11.
- [C6] B. Floyd, K. Kim, and K. O, "Wireless interconnection in a CMOS IC with integrated antennas," *IEEE ISSCC Dig. Tech. Papers*, Feb. 2000, pp. 328-329.

- [C5] B. A. Floyd, K. K. O, "The projected power consumption of a wireless clock distribution system and comparison to conventional distribution systems," *Proc. IEEE Int. Interconnect Tech. Conf.*, May 1999, pp. 248-250.
- [C4] B. A. Floyd, J. Mehta, C. Gamero, and K. K. O, "A 900-MHz, 0.8- μ m CMOS low noise amplifier with 1.2-dB noise figure," *Proc. IEEE Custom Integrated Circuits Conf.*, May 1999, pp. 661-664.
- [C3] K. K. O, K. Kim, B. A. Floyd, J. Mehta, H. Yoon, "Inter and intra-chip wireless clock signal distribution using microwaves: a status of a feasibility study," *Govt. Microcircuit Application Conf.*, Mar. 1999, pp. 306-309.
- [C2] K. K. O, K. Kim, B. Floyd, Y.-C. Ho, C.-M. Hung, C. Wann, Y. Taur, and I. Lagnado, "Tuned amplifiers fabricated in a 0.1- μ m CMOS technology on bulk, SOI, and SOS substrates," *Govt. Microcircuit Application Conf.*, Mar. 1998, pp. 175-178.
- [C1] K.-H. Kim, Y.-C. Ho, B. Floyd, C. Wann, Y. Taur, and I. Lagnado, "4 GHz and 13 GHz tuned amplifiers implemented in a 0.1 μ m CMOS technology on SOI and SOS substrates," *IEEE ISSCC Dig. Tech. Papers*, Feb. 1998, pp. 134 - 135.

BOOK CHAPTERS

- [B4] A. Natarajan and B. Floyd, "System-on-a-chip mm-wave silicon transmitters," from *mm-Wave Silicon Power Amplifiers and Transmitters*, Cambridge Univ. Press, 2016.
- [B3] S. Reynolds, A. Valdes-Garcia, B. Floyd, Y. Katayama, and A. Natarajan, "Millimeter-Wave System Overview," from *Millimeter-Wave Antennas, Packaging and Beyond*, Wiley, Chapter 16, 2009.
- [B2] A. Niknejad, B. A. Floyd, S. Emami, B. Heydari, E. Adabi, and B. Afshar, "Amplifiers and Mixers," from *mm-Wave Silicon Technology: 60 GHz and Beyond*, Springer, Chapter 4, 2008.
- [B1] S. Reynolds, B. Floyd, T. Beukema, T. Zwick, U. Pfeiffer, and H. Ainspan, "Wireless Design: A Direct Conversion Receiver IC for WCDMA Mobile Systems from *Silicon Germanium: Technology, Modeling, and Design*," Wiley-IEEE Press, ISBN: 9780471446538, Chapter 4.2, pp. 271-295, 2004.

OTHER REFEREED CONF. PUBLICATIONS

- [OC8] Y. Wen, J. Dean, B. Floyd and P. Franzon, "High dimensional optimization for electronic design via random embedding and local inspection," *2022 ACM/IEEE Workshop on Machine Learning for CAD*, Sep. 2022.
- [OC7] M. Mushia, H. Joshi, R. Dutta, I. Guvench, M. Sichitiu, B. Floyd, T. Jajkowski, "The AERPAAW experiment workflow - considerations for designing usage models for a computing-supported physical-equipment research platform," *IEEE Int. Workshop on Computer and Networking Experimental Research using Testbeds*, May 2022.
- [OC6] M. L. Sichitiu, I. Guvench, V. Marajevic, and B. Floyd, "AERPAAW emulation overview," *14th Workshop on Wireless Network Testbeds, Experimental Evaluation and Characterization*, 2020.
- [OC5] B. Floyd, "Market Opportunities and testing challenges for millimeter-wave radios and radars (invited)," *IEEE International Test Conf.*, Oct 2014.
- [OC4] A. Sarkar and B. Floyd, "A 60 GHz Doherty power amplifier with 14% PAE at 6-dB back off," *Proceedings SRC Techcon Conf.*, Sept. 2013.
- [OC3] A. Sarkar and B. Floyd, "Power efficient power amplifiers for 60GHz phased array transmitters," *Proceedings SRC Techcon Conf.*, Sept. 2012.
- [OC2] B. Floyd, B. Gaucher, "SiGe ICs for gigabit wireless transmission," *IEEE Lester Eastman Conf. on High Performance Devices*, Aug. 2006.
- [OC1] B. Floyd, X. Guo, J. Caserta, T. Dickson, C. Hung, K. Kim, K. O, "Wireless interconnects for clock distribution," *ACM/IEEE Int. Workshop Timing Issues Specification Synthesis Digital Systems*, Dec. 2002, pp. 105-108.

DISSERTATION

- [D1] Brian Floyd, "A CMOS wireless interconnect system for multigigahertz clock distribution," Ph.D. Dissertation, University of Florida, 2001.

SHORT-COURSES, TUTORIALS, and WORKSHOPS

- [W13] B. Floyd, "Beamforming arrays and their calibration," *IEEE Int. Solid-State Circuits Conf, Forum*, Feb. 2020.
- [W12] B. Floyd, "Built-in test and calibration of phased arrays," *IEEE Symposia on VLSI Technology and Circuits, Short Course*, Kyoto, Japan, June 2019.
- [W11] B. Floyd, "Code-modulated embedded test and calibration of phased arrays," *IEEE International Workshop on Test and Validation of High-Speed Analog Circuits, Workshop*, Phoenix, AZ, Nov. 2018.
- [W10] B. Floyd, "Code-modulated embedded test for phased arrays," *IEEE IMS Workshop*, WSJ, Phila., PA, June 2018.
- [W9] B. Floyd, "High-performance millimeter-wave beamformers with built-in self-test," *IEEE CICC, Short Course*, San Diego, CA, April 2018.
- [W8] B. Floyd, "Millimeter-wave 5G transceivers and arrays," *IEEE IMS. Workshop*, Honolulu, HI, June 2017.

- [W7] B. Floyd, "Millimeter-wave circuit and system capabilities and trade-offs for SiGe BiCMOS," *IEEE IMS Workshop*, Honolulu, HI, June 2017.
- [W6] B. Floyd, "Millimeter-Wave Circuits and Systems for Next-Generation Radios, Radars, and Imagers," *IEEE Conf. on Electrical performance of Electronic Packaging and Systems, Tutorial*, Tempe, AZ, Oct. 2012.
- [W5] B. Floyd, "Millimeter-wave phased-array building blocks and transceivers in silicon," *IEEE Compound Semiconductor IC Symp., Short course*, Monterey, CA, Oct. 2010.
- [W4] B. Floyd, S. Reynolds, A. Valdes-Garcia, B. Gaucher, D. Liu, T. Beukema, A. Natarajan, "Silicon technology, circuits, packages, and systems for 60-100 GHz," *IEEE IMS Workshop WSN*, June 2007.
- [W3] B. Floyd, "SiGe BiCMOS transceivers for mmWave," *IEEE BCTM, Short Course*, Monterey, CA, Sept. 2007.
- [W2] B. Floyd, S. Reynolds, U. Pfeiffer, B. Gaucher, T. Beukema, J. Grzyb, "From transmission lines to transceivers: silicon mmWave ICs for 60GHz & beyond," *IEEE IMS Workshop WSO*, June 2006, pp. 21-38.
- [W1] B. Floyd, "Low-noise circuit design in SiGe technology at 60 GHz and above," *IEEE IMS Workshop WMC*, June 2006, pp. 17-31.

PANEL PRESENTATIONS

- [P6] "Future of analog/mixed-signal test, challenges and opportunities," *IEEE International Workshop on Test and Validation of High-Speed Analog Circuits*, Nov. 2018, panelist.
- [P5] "5th generation wireless – where is that going and what's in it for me?" *IEEE RFIC Symp.*, June 2017, moderator.
- [P4] "Phased array 5G: is test connected or disconnected," *IEEE Int. Test Conf.*, Nov. 2016, panelist.
- [P3] "Research is expensive, but innovation sells," *IEEE RFIC Symp.*, May 2015, organizer and moderator.
- [P2] "SiGe/CMOS RF-IC phased arrays: will they be used in defense and commercial systems?" *IEEE Int. Microwave Symp.*, June 2009, panelist.
- [P1] "mmWave IC: is silicon winning? Is GaAs still alive?" *IEEE RFIC Symp.*, June 2008, panelist.

PATENTS (32 issued)

- [1] B. Floyd, C. Wilson, J. Bonner-Stewart, "Tunable filters, cancellers, and duplexers based on passive mixers," US Patent 10,735,037, 8/4/2020.
- [2] B. Floyd, V. Chauhan, K. Greene, "Code modulated phased array interferometric imaging", US Patent 10,551,162, 02/04/2020.
- [3] B. Floyd, C. Wilson, J. Bonner-Stewart, "Tunable filters, cancellers, and duplexers based on passive mixers," US Patent 10,333,569, 6/25/2019.
- [4] B. Floyd, C. Wilson, J. Bonner-Stewart, F. Vosburgh, "Tunable filters, cancellers, and duplexers based on passive mixers," US Patent. 9,800,278, 10/24/2017.
- [5] B. Floyd and C. Wilson, "Tunable filter employing feedforward cancellation," US Patent 9,654,983, 5/16/2017.
- [6] T. Fujibayashi, B. Floyd, "Phase calibration circuit and method for multi-channel radar receiver," US Patent 9,453,906, 9/27/2016.
- [7] B. Floyd, A. Natarajan, V. Jain, S. Reynolds, "A compact imaging receiver in silicon," U.S. Patent 8,866,079, 10/21/14.
- [8] P.-Y. Chen, B. Floyd, A. Natarajan, S. Nicolson, S. Reynolds, M.-D. Tsai, A. Valdes Garcia, J.-H. Zhan, "Phased-array transceiver for millimeter-wave frequencies," US Patent 8,618,983, 12/31/2013.
- [9] H.-C. Chen, B. Floyd, and D. Liu, "Circuit device with signal line transition element," US Patent 8,558,637, 10/15/13.
- [10] B. Floyd, A. Natarajan, S. Reynolds, A. Valdes Garcia, M. Soyuer, "Differential cross-coupled power combiner or divider," US Patent 8,482,364, 7/9/2013.
- [11] B. Floyd, D. Greenberg, R. Malladi, B. Orner, S. Reynolds, "Radio frequency integrated circuitry with on-chip noise source for self-test," U.S. Patent 8,421,478, 4/16/2013.
- [12] T. Beukema, B. Floyd, V. Leung, S. Reynolds, S. Rylov, "Signal phase control in an integrated radio circuit," European Patent EP1977577, 3/6/2013.
- [13] H. Chen, B. Floyd, D. Liu, "Simple radio frequency integrated circuit (RFIC) packages with integrated antennas," U.S. Patent 8,269,671, 9/18/2012.
- [14] H. Chen, B. Floyd, D. Liu, "A compact mmWave package with integrated antennas," U.S. Patent 8,256,685, 9/4/12.
- [15] B. Floyd, D. Liu, R. Morton, "Method and apparatus for packaging an integrated chip with integrated antennas," U.S. Patent 8,018,384 B2, 9/13/2011.
- [16] J. Akkermans, B. Floyd, D. Liu, "Radio frequency (RF) integrated circuit (IC) packages having characteristics suitable for mass production," U.S. Patent 7,728,774 B2, 6/1/2010.
- [17] J. Akkermans, B. Floyd, D. Liu, "Radio frequency (RF) integrated circuit (IC) packages with integrated aperture-coupled patch antenna(s) in ring and/or offset cavities," U.S. Patent 7,696,930, 5/13/2010.

- [18] B. Floyd, D. Liu, "Radio frequency (RF) integrated circuit (IC) packages with integrated aperture-coupled patch antenna(s)," U.S. Patent 7,692,590, 4/6/2010.
- [19] B. Floyd, A. Natarajan, "Phase-shifting and combining architecture for phased arrays," U.S. Patent 7,683,833, 3/23/10.
- [20] B. Floyd, A. Natarajan, "Phase-shifting and combining architecture for phased arrays," U.S. Patent 7,352,325, 4/1/08.
- [21] B. Floyd, S Reynolds, "Variable-gain image-reject LNA," US Patent 7,629,850, 12/8/2009.
- [22] B. Floyd, D. Goren, U. Pfeiffer, and S. Reynolds, "Circuits and methods for implementing transformer-coupled amplifiers at millimeter wave frequencies," U.S. Patent 7,629,852, Dec. 8, 2009.
- [23] B. Floyd, D. Goren, U. Pfeiffer, and S. Reynolds, "Circuits and methods for implementing transformer-coupled amplifiers at millimeter wave frequencies," U.S. Patent 7,459,981, 12/2/2008.
- [24] B. Floyd, D. Goren, U. Pfeiffer, and S. Reynolds, "Circuits and methods for implementing transformer-coupled amplifiers at millimeter wave frequencies," U.S. Patent 7,315,212, 1/1/2008.
- [25] B. Floyd, U. Pfeiffer, and S. Reynolds, "On-chip circuit pad structure," U.S. Patent 7,566,952, 7/28/2009.
- [26] B. Floyd and S. Rylov, "Circuits and methods for implementing sub-integer-N frequency dividers using phase rotators," U.S. Patent 7,486,145, 2/3/2009.
- [27] B. Floyd, U. Pfeiffer, S. Reynolds, and T. Zwick, "Integrated millimeter-wave quadrature generator," U.S. Patent 7,386,291, 6/10/2008.
- [28] B. Floyd and T. Zwick, "Ultra-broadband integrated balun," U.S. Patent 7,265,644, 9/4/2007.
- [29] B. Floyd, "Millimeter-wave unilateral low-noise amplifier," U.S. Patent 7,265,630, 9/4/2007.
- [30] B. Floyd, U. Pfeiffer, S. Reynolds, and A. Valdes Garcia, "Circuits/methods for implementing power amplifiers for millimeter-wave applications," U.S. Patent 7,199,658, 4/3/2007.
- [31] M. Chirala, B. Floyd, and T. Zwick, "DC isolated phase inverter and a ring hybrid coupler including the DC isolated phase inverter," U.S. Patent 7,187,251, 3/6/2007.
- [32] B. Floyd, "Bypass switch topology for low-noise amplifiers," U.S. Patent 6,930,546, 8/16/2005.

EXTENSION, ENGAGEMENT, AND ENTREPRENEURSHIP

Below is a summary of my extension activities over and above my sponsored research projects. The first four activities involved direct mentorship of graduate students within my research group, where they have been exposed to either joint industry/university development activities or entrepreneurship initiatives.

Joint Development Program with **Asahi Kasei Microdevices (AKM)**, 2011-2014:

- I led a joint development program between NC State and AKM, a Japanese Electronics Company, on the development of mmWave vehicular radar systems. Under this program, our eight-person team jointly created two generations of radars, the last of which achieved the highest published performance.
- I hosted and mentored two visiting scholars from AKM and advised two Ph.D. students in this program. The AKM designers were trained in the fundamentals of mmWave design and now lead radar system development teams at AKM. The Ph.D. graduates now work at leading mmWave companies.
- The Intellectual Property has been productized by AKM. I also continue to work with NC State's Office of Research Commercialization (OFC) to license our IP to additional partners.

Small Business Technology Transfer (STTR) Program with **Physical Devices LLC**, 2012-2018:

- I collaborated with a start-up on the investigation, development, and productization of a new class of tunable filters. I mentored two NC State Ph.D. students in this program funded through NSF.
- I served as the main technical advisor for the company, influencing company strategy.
- Our filter and duplexer inventions are protected by four patents licensed by Physical Devices LLC.

Small Business Technology Transfer (STTR) Programs with **MaXentric Technologies LLC**, 2016-present:

- I collaborated with a small business to create an imaging system for the US Army using our vehicular radar chipset and a method developed under the NC State Chancellor's Innovation Fund.
- I currently collaborate with this same company to create novel mmWave phased arrays for scalable satellite communication systems for the US Army that can leverage reusable IP solutions.
- I've mentored four Ph.D. students in these two program.
- Our inventions are protected by two patents. We continue to explore new licensing opportunities.

Co-PI of AERPAW, a \$24M infrastructure grant from NSF and the PAWR Platform Office (PPO).

- We are one of only four sites in the US selected to create city-scale wireless test infrastructure to be used by researchers throughout the country. I am in charge of developing the mmWave solution, where we seek to provide the nation's best capabilities for mobile 5G phased arrays. I also mentor students and oversee aspects related to summer education offerings and center logistics.

Director of the NC State Microelectronics Characterization Facility (MECF): 2019 – present

- I direct the MECF service center for NC State. This center contains a large range of high-value microwave test equipment that is available to internal and external users on a fee basis.

Thrust leader (Security/Safety), Texas Analog Center of Excellence (TxACE): 2011-2018

- I served as one of four thrust leaders for the center that was jointly funded by SRC member companies (Intel, IBM, Freescale, Texas Instruments, and others) and the state of Texas.
- I was responsible for overseeing and coordinating all center activities related to security and safety research. This research portfolio was focused on mmWave radars, imagers, radios, and spectrometers, totaling ~\$1.6M of funding and 16 projects per year.